



PRISM INDUSTRIES PRIVATE LIMITED

AN ISO 9001:2015, ISO 14001:2015, ISO 45000:2018, WHO-GMP APPROVED COMPANY

Works Address : Survey No. 637/23/A1, Khambhat Dhuvaran Road, At Kalamsar, Tal. Khambhat,
Dist. Anand-388640, Gujarat. India. M. : 9727701668, 9712934397

CIN : U24231GJ1992PTC 017501 | PAN : AABCP7162Q | GSTIN : 24AABCP7162Q1ZY

Regd. Office : 208, Trivia Complex, Nr. Natubhai Circle, Race Course, Vadodara-390 007. Ph. : 0265-3504650 / 0265-3504649
Email : info@prismind.com | Website : www.prismindustriesltd.com

MATERIAL SAFETY DATA SHEET

QUININE BISULPHATE

SECTION 1: CHEMICAL PRODUCT AND COMPANY IDENTIFICATION

Product identifiers

Product name : Quinine Bisulphate

CAS-No. : 549-56-4

Relevant identified uses of the substance or mixture and uses advised against

Identified uses : Laboratory chemicals, Manufacture of substances

Details of the supplier of the safety data sheet

Company : **Prism Industries Private Limited.** :
Survey no 637/23, At-Khambhat Dhuvaran Road.
At-Kalamsar. Ta: Khambhat, Dist: Anand (Guj) India.
elefax (02698)285573, Mo.-9727701668

Emergency telephone number

Emergency Phone # : +91 9727701668

SECTION 2 - HAZARDS IDENTIFICATION

Classification of the substance or mixture

Classification according to Regulation (EC) No 1272/2008

Skin irritation (Category 2), H315

Eye irritation (Category 2), H319

Skin sensitisation (Category 1),
H317

Specific target organ toxicity - single exposure (Category 3), H335

For the full text of the H-Statements mentioned in this Section, see Section 16.

Label elements

Labelling according Regulation (EC) No 1272/2008

Pictogram



Signal word

Warning

Hazard statement(s)

H315

Causes skin irritation.

H317

May cause an allergic skin reaction.

H319

Causes serious eye irritation.

H335

May cause respiratory irritation.



PRISM INDUSTRIES PRIVATE LIMITED

AN ISO 9001:2015, ISO 14001:2015, ISO 45000:2018, WHO-GMP APPROVED COMPANY

Works Address : Survey No. 637/23/A1, Khambhat Dhuvaran Road, At Kalamsar, Tal. Khambhat,
Dist. Anand-388640, Gujarat. India. M. : 9727701668, 9712934397

CIN : U24231GJ1992PTC 017501 | PAN : AABCP7162Q | GSTIN : 24AABCP7162Q1ZY

Regd. Office : 208, Trivia Complex, Nr. Natubhai Circle, Race Course, Vadodara-390 007. Ph. : 0265-3504650 / 0265-3504649
Email : info@prismind.com | Website : www.prismindustriesltd.com

Precautionary statement(s)

P261 Avoid breathing dust.
P280 Wear protective gloves.
P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove Contact lenses, if present and easy to do. Continue rinsing.

Supplemental Hazard Statements none

Other hazards – none

SECTION 3 - COMPOSITION, INFORMATION ON INGREDIENTS

Substances

Formula : $C_{20}H_{26}N_2O_6S$
Molecular weight : 422.5 g/mol
CAS-No. : 549-56-4
EC-No. : 208-970-9

Hazardous ingredients according to Regulation (EC) No 1272/2008

Component	Classification	Concentration
Quinine hydrogen sulphate		
CAS-No. 549-56-4 EC-No. 208-970-9	Skin Irrit. 2; Eye Irrit. 2; Skin Sens. 1; STOT SE 3; H315, H319, H317, H335	<= 100 %

For the full text of the H-Statements mentioned in this Section, see Section 16.

SECTION 4 - FIRST AID MEASURES

Description of first aid measures

General advice

Consult a physician. Show this safety data sheet to the doctor in attendance.

If inhaled

If breathed in, move person into fresh air. If not breathing, give artificial respiration. Consult a physician.

In case of skin contact

Wash off with soap and plenty of water. Consult a physician.

In case of eye contact

Rinse thoroughly with plenty of water for at least 15 minutes and consult a physician.

If swallowed

Never give anything by mouth to an unconscious person. Rinse mouth with water. Consult a physician.

Most important symptoms and effects, both acute and delayed

The most important known symptoms and effects are described in the labelling (see section 2.2) and/or in section 11

Indication of any immediate medical attention and special treatment needed

No data available



PRISM INDUSTRIES PRIVATE LIMITED

AN ISO 9001:2015, ISO 14001:2015, ISO 45000:2018, WHO-GMP APPROVED COMPANY

Works Address : Survey No. 637/23/A1, Khambhat Dhuvaran Road, At Kalamsar, Tal. Khambhat,
Dist. Anand-388640, Gujarat. India. M. : 9727701668, 9712934397

CIN : U24231GJ1992PTC 017501 | PAN : AABCP7162Q | GSTIN : 24AABCP7162Q1ZY

Regd. Office : 208, Trivia Complex, Nr. Natubhai Circle, Race Course, Vadodara-390 007. Ph. : 0265-3504650 / 0265-3504649
Email : info@prismind.com | Website : www.prismindustriesltd.com

SECTION 5 - FIRE FIGHTING MEASURES

Extinguishing media

Suitable extinguishing media

Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.

Special hazards arising from the substance or mixture

Carbon oxides, Nitrogen oxides (NO_x), Sulphur oxides

Advice for firefighters

Wear self-contained breathing apparatus for firefighting if necessary.

Further information

No data available

SECTION 6 - ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

Use personal protective equipment. Avoid dust formation. Avoid breathing vapours, mist or gas. Ensure adequate ventilation. Evacuate personnel to safe areas. Avoid breathing dust. For personal protection see section 8.

Environmental precautions

Do not let product enter drains.

Methods and materials for containment and cleaning up

Pick up and arrange disposal without creating dust. Sweep up and shovel. Keep in suitable, closed containers for disposal.

Reference to other sections

For disposal see section 13.

SECTION 7 - HANDLING and STORAGE

Precautions for safe handling

Avoid contact with skin and eyes. Avoid formation of dust and aerosols.

Provide appropriate exhaust ventilation at places where dust is formed. Normal measures for preventive fire protection.

For precautions see section 2.2.

Conditions for safe storage, including any incompatibilities

Store in cool place. Keep container tightly closed in a dry and well-ventilated place.

Light sensitive.

Storage class (TRGS 510): Combustible Solids

Specific end use(s)

Apart from the uses mentioned in section 1.2 no other specific uses are stipulated



PRISM INDUSTRIES PRIVATE LIMITED

AN ISO 9001:2015, ISO 14001:2015, ISO 45000:2018, WHO-GMP APPROVED COMPANY

Works Address : Survey No. 637/23/A1, Khambhat Dhuvaran Road, At Kalamsar, Tal. Khambhat, Dist. Anand-388640, Gujarat. India. M. : 9727701668, 9712934397

CIN : U24231GJ1992PTC 017501 | PAN : AABCP7162Q | GSTIN : 24AABCP7162Q1ZY

Regd. Office : 208, Trivia Complex, Nr. Natubhai Circle, Race Course, Vadodara-390 007. Ph. : 0265-3504650 / 0265-3504649
Email : info@prismind.com | Website : www.prismindustriesltd.com

SECTION 8 - EXPOSURE CONTROLS, PERSONAL PROTECTION

Control parameters

Exposure controls

Appropriate engineering controls

Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks and at the end of workday.

Personal protective equipment

Eye/face protection

Face shield and safety glasses Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU).

Skin protection

Handle with gloves. Gloves must be inspected prior to use. Use proper glove removal technique (without touching glove's outer surface) to avoid skin contact with this product. Dispose of contaminated gloves after use in accordance with applicable laws and good laboratory practices. Wash and dry hands. The selected protective gloves have to satisfy the specifications of EU Directive 89/686/EEC and the standard EN 374 derived from it.

Body Protection

Complete suit protecting against chemicals, The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace.

Respiratory protection

For nuisance exposures use type P95 (US) or type P1 (EU EN 143) particle r (US) or type ABEK-P2 (EU EN 143) respirator cartridges. Use respirators and components tested and approved under appropriate government standards such as NIOSH (US) or CEN (EU).

Control of environmental exposure

Do not let product enter drains.

SECTION 9 - PHYSICAL AND CHEMICAL PROPERTIES

Information on basic physical and chemical properties

- | | |
|--|-------------------|
| a) Appearance | Form: solid |
| b) Odour | No data available |
| c) Odour Threshold | No data available |
| d) pH | No data available |
| e) Melting point/freezing point | No data available |
| f) Initial boiling point and boiling range | No data available |
| g) Flash point | No data available |
| h) Evaporation rate | No data available |
| i) Flammability (solid, gas) | No data available |



PRISM INDUSTRIES PRIVATE LIMITED

AN ISO 9001:2015, ISO 14001:2015, ISO 45000:2018, WHO-GMP APPROVED COMPANY

Works Address : Survey No. 637/23/A1, Khambhat Dhuvaran Road, At Kalamsar, Tal. Khambhat, Dist. Anand-388640, Gujarat. India. M. : 9727701668, 9712934397

CIN : U24231GJ1992PTC 017501 | PAN : AABCP7162Q | GSTIN : 24AABCP7162Q1ZY

Regd. Office : 208, Trivia Complex, Nr. Natubhai Circle, Race Course, Vadodara-390 007. Ph. : 0265-3504650 / 0265-3504649
Email : info@prismind.com | Website : www.prismindustriesltd.com

- | | |
|---|-------------------|
| j) Upper/lower flammability or explosive limits | No data available |
| k) Vapour pressure | No data available |
| l) Vapour density | No data available |
| m) Relative density | No data available |
| n) Water solubility | No data available |
| o) Partition coefficient: n-octanol/water | No data available |
| p) Auto-ignition temperature | No data available |
| q) Decomposition temperature | No data available |
| r) Viscosity | No data available |
| s) Explosive properties | No data available |
| t) Oxidizing properties | No data available |

Other safety information

No data available

SECTION 10 - STABILITY AND REACTIVITY

Reactivity

No data available

Chemical stability

Stable under recommended storage conditions.

Possibility of hazardous reactions

No data available

Conditions to avoid

No data available

Incompatible materials

Oxidizing agents

Hazardous decomposition products

Hazardous decomposition products formed under fire conditions. - Carbon oxides, Nitrogen oxides (NO_x), Sulphur oxides

Other decomposition products - No data available
In the event of fire: see section 5



PRISM INDUSTRIES PRIVATE LIMITED

AN ISO 9001:2015, ISO 14001:2015, ISO 45000:2018, WHO-GMP APPROVED COMPANY

Works Address : Survey No. 637/23/A1, Khambhat Dhuvaran Road, At Kalamsar, Tal. Khambhat,
Dist. Anand-388640, Gujarat. India. M. : 9727701668, 9712934397

CIN : U24231GJ1992PTC 017501 | PAN : AABCP7162Q | GSTIN : 24AABCP7162Q1ZY

Regd. Office : 208, Trivia Complex, Nr. Natubhai Circle, Race Course, Vadodara-390 007. Ph. : 0265-3504650 / 0265-3504649
Email : info@prismind.com | Website : www.prismindustriesltd.com

SECTION 11 - TOXICOLOGICAL INFORMATION

Information on toxicological effects

Acute toxicity

Dose descriptor: LD 50
Effect Level: ca.455.8 mg/kg bw
Based on: test mat.

Skin corrosion/irritation

No data available(Quinine hydrogen sulphate)

Serious eye damage/eye irritation

No data available(Quinine hydrogen sulphate)

Respiratory or skin sensitisation

Germ cell mutagenicity

No data available(Quinine hydrogen sulphate)

Carcinogenicity

IARC: No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.

Reproductive toxicity

No data available(Quinine hydrogen sulphate)

Specific target organ toxicity - single exposure

Inhalation - May cause respiratory irritation.(Quinine hydrogen sulphate)

Specific target organ toxicity - repeated exposure

No data available

Aspiration hazard

No data available(Quinine hydrogen sulphate)

Additional Information

RTECS: Not available

prolonged or repeated exposure can cause:, Blood disorders, Vomiting, Diarrhoea, Asthma(Quinine hydrogen sulphate)

SECTION 12: Ecological information

Toxicity

No data available

Persistence and degradability

No data available

Bioaccumulative potential

No data available



PRISM INDUSTRIES PRIVATE LIMITED

AN ISO 9001:2015, ISO 14001:2015, ISO 45000:2018, WHO-GMP APPROVED COMPANY

Works Address : Survey No. 637/23/A1, Khambhat Dhuvaran Road, At Kalamsar, Tal. Khambhat,
Dist. Anand-388640, Gujarat. India. M. : 9727701668, 9712934397

CIN : U24231GJ1992PTC 017501 | **PAN :** AABCP7162Q | **GSTIN :** 24AABCP7162Q1ZY

Regd. Office : 208, Trivia Complex, Nr. Natubhai Circle, Race Course, Vadodara-390 007. **Ph. :** 0265-3504650 / 0265-3504649
Email : info@prismind.com | **Website :** www.prismindustriesltd.com

SECTION 15 - REGULATORY INFORMATION

Safety, health and environmental regulations/legislation specific for the substance or mixture

This safety datasheet complies with the requirements of Regulation (EC) No. 1907/2006.

Chemical safety assessment

For this product a chemical safety assessment was not carried out

SECTION 16 - ADDITIONAL INFORMATION

Full text of H-Statements referred to under sections 2 and 3.

H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H319	Causes serious eye irritation.
H335	May cause respiratory irritation.

Further information

The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is applicable to the product with regard to appropriate safety precautions. It does not represent any guarantee of the properties of the product. Prism Industries pvt Ltd. and its Affiliates shall not be held liable for any damage resulting from handling or from contact with the above product.